

## Parker Seals | Parker ZP piston seal

Image: Parker ZP piston seal

Working  
Pressure max  
500 bar  
Working  
Temperature:  
HFA - HFB -  
HFC fluids: +5  
+60 CÂ°  
Hydraulic Oil :  
-20 +100 CÂ°  
Speed: max 0.1  
m/sec





## SEAT

<b>D H<sub>11</sub></b> <b>Cylinder bore</b>	<b>d</b>	<b>L</b>	<b>D<sub>1</sub></b>	<b>Parker code</b>
110	95	16	109.2	Parker ZP 0109 00250
110	95	18	109.2	Parker ZP 0110 00250
115	97	22.5	114.2	Parker ZP 0115 00250
120	100	26	119.2	Parker ZP 0120 00254
120	105	16	119.2	Parker ZP 0120 00250
125	110	15.8	124.2	Parker ZP 125 00250
130	110	16	129.2	Parker ZP 0130 00250
130	115	16	129.2	Parker ZP 0131 00250
140	125	16	139.2	Parker ZP 0140 00250
140	125	18	139.2	Parker ZP 0141 00250
150	133	20	149.2	Parker ZP 0149 00250
150	135	16	149.2	Parker ZP 0150 00250
155	140	16	154.2	Parker ZP 0152 00250
160	145	16	159.2	Parker ZP 0160 00250
165	145	24	164.2	Parker ZP 0164 00250
165	150	16	164.2	Parker ZP 0165 00250
170	150	16	169.2	Parker ZP 0170 00250
175	155	16	174.2	Parker ZP 0175 00250
180	160	18	179.2	Parker ZP 0180 00250
180	163	20	179.2	Parker ZP 0181 00250
185	165	16	184.2	Parker ZP 0185 00250
190	170	16	189.2	Parker ZP 0190 00250
195	175	16	194.2	Parker ZP 0195 00250
200	175	31.5	199.2	Parker ZP 0201 00250
200	180	16	199.2	Parker ZP 0200 00250
205	185	16	204.2	Parker ZP 0205 00250
210	190	16	209.2	Parker ZP 0210 00250
220	195	22	219.2	Parker ZP 0219 00250
220	195	25	219.2	Parker ZP 0220 00250
220	200	20	219.2	Parker ZP 0221 00250
224	204	20.5	223.2	Parker ZP 0226 00250
225	205	25	224.2	Parker ZP 0225 00250
230	210	16	229.2	Parker ZP 0230 00250
240	215	25	239.2	Parker ZP 0240 00250



245	220	25	244.2	Parker ZP 0245 00250
250	225	25	249.2	Parker ZP 0250 00250
260	235	25	259.2	Parker ZP 0260 00250
270	245	24	269.2	Parker ZP 0270 00250
275	250	25	274.2	Parker ZP 0275 00250
280	255	25	279.2	Parker ZP 0280 00250
290	265	27	289.2	Parker ZP 0290 00250
300	275	25	299.2	Parker ZP 0300 00250
310	285	25	309.2	Parker ZP 0310 00250