


## Guarnizioni Parker Seals | Parker ZC piston seal



Working  
 Pressure max  
 500 bar  
 Working  
 Temperature:  
 HFA - HFB -  
 HFC fluids: +5  
 +60 CÂ°  
 Hydraulic Oil :  
 -20 +100 CÂ°  
 Speed: max 0.1  
 m/sec





## SEDI

| <b>D H<sub>11</sub></b><br><b>Cylinder bore</b> | <b>d</b> | <b>L</b> | <b>D<sub>1</sub></b> | <b>Parker code</b>   |
|---|----------|----------|----------------------|----------------------|
| 43  | 31       | 15       | 42.3                 | Parker ZC 0043 00250 |
| 50  | 34       | 18       | 49.3                 | Parker ZC 0050 00250 |
| 50  | 38       | 11       | 49.3                 | Parker ZC 0052 00250 |
| 50  | 38       | 14.5     | 49.3                 | Parker ZC 0053 00250 |
| 50  | 38       | 20.5     | 49.3                 | Parker ZC 0055 00250 |
| 55  | 39       | 18       | 54.3                 | Parker ZC 0055 00254 |
| 60  | 48       | 20.5     | 59.3                 | Parker ZC 0061 00250 |
| 63  | 47       | 19.4     | 62.3                 | Parker ZC 0067 00250 |
| 63  | 50       | 14.5     | 62.3                 | Parker ZC 0063 00250 |
| 63  | 51       | 19.5     | 62.3                 | Parker ZC 0066 00250 |
| 65  | 53       | 19.5     | 64.3                 | Parker ZC 0066 00250 |
| 70  | 58       | 20.5     | 69.3                 | Parker ZC 0070 00250 |
| 75  | 55       | 15.5     | 74.3                 | Parker ZC 0075 00250 |
| 75  | 59       | 20       | 74.3                 | Parker ZC 0076 00250 |
| 75  | 63       | 18.5     | 74.3                 | Parker ZC 0077 00250 |
| 80  | 60       | 22       | 79.3                 | Parker ZC 0080 00250 |
| 80  | 62       | 22.5     | 79.3                 | Parker ZC 0080 00250 |
| 80  | 66       | 16.5     | 79.3                 | Parker ZC 0083 00250 |
| 80  | 66       | 21       | 79.3                 | Parker ZC 0081 00250 |
| 90  | 70       | 21.5     | 89.3                 | Parker ZC 0090 00250 |
| 90  | 75       | 13       | 89.3                 | Parker ZC 0094 00250 |
| 90  | 75       | 18       | 89.3                 | Parker ZC 0091 00250 |
| 90  | 75       | 21       | 89.3                 | Parker ZC 0092 00250 |
| 90  | 76       | 16       | 89.3                 | Parker ZC 0095 00250 |
| 90  | 76       | 21.5     | 89.3                 | Parker ZC 0093 00250 |
| 95  | 80       | 13.5     | 94.3                 | Parker ZC 0097 00250 |
| 100   | 75       | 21.4     | 99.3                 | Parker ZC 0100 00250 |
| 100   | 75       | 22       | 99.3                 | Parker ZC 0101 00250 |
| 100   | 82       | 22.5     | 99.3                 | Parker ZC 0103 00250 |
| 100   | 86       | 22.5     | 99.3                 | Parker ZC 0102 00250 |
| 105   | 80       | 22.4     | 104.2                | Parker ZC 0115 00250 |
| <b>D H<sub>11</sub></b><br><b>Cylinder bore</b> | <b>d</b> | <b>L</b> | <b>D<sub>1</sub></b> | <b>Parker code</b>   |
| 105   | 90       | 22.5     | 104.2                | Parker ZC 0106 00250 |
| 105   | 91       | 16.5     | 104.2                | Parker ZC 0105 00250 |



|     |     |      |       |                      |
|-----|-----|------|-------|----------------------|
| 110 | 85  | 22   | 109.2 | Parker ZC 0110 00254 |
| 110 | 92  | 22.5 | 109.2 | Parker ZC 0110 00250 |
| 110 | 95  | 16   | 109.2 | Parker ZC 0112 00250 |
| 110 | 95  | 16   | 109.2 | Parker ZC 0113 00250 |
| 110 | 95  | 18   | 109.2 | Parker ZC 0111 00250 |
| 110 | 96  | 21.5 | 109.2 | Parker ZC 0114 00250 |
| 115 | 97  | 22.5 | 114.2 | Parker ZC 0116 00250 |
| 120 | 100 | 26   | 119.2 | Parker ZC 0120 00254 |
| 120 | 102 | 16   | 119.2 | Parker ZC 0120 00250 |
| 125 | 100 | 25   | 124.2 | Parker ZC 0125 00250 |
| 125 | 100 | 25   | 124.2 | Parker ZC 0125 00254 |
| 125 | 103 | 26.5 | 124.2 | Parker ZC 0126 00250 |
| 125 | 108 | 26.5 | 124.2 | Parker ZC 0130 00250 |
| 125 | 110 | 15.8 | 124.2 | Parker ZC 0127 00250 |
| 130 | 105 | 25   | 129.2 | Parker ZC 0128 00250 |
| 130 | 108 | 26.5 | 129.2 | Parker ZC 0129 00250 |
| 130 | 113 | 20.5 | 129.2 | Parker ZC 0131 00250 |
| 135 | 110 | 25   | 134.2 | Parker ZC 0146 00250 |
| 135 | 110 | 25   | 134.2 | Parker ZC 0135 00254 |
| 135 | 113 | 27   | 134.2 | Parker ZC 0135 00250 |
| 135 | 115 | 20.5 | 134.2 | Parker ZC 0139 00250 |
| 135 | 118 | 20.5 | 134.2 | Parker ZC 0136 00250 |
| 138 | 118 | 16   | 137.2 | Parker ZC 0132 00250 |
| 140 | 115 | 25.4 | 139.2 | Parker ZC 0144 00250 |
| 140 | 123 | 26.5 | 139.2 | Parker ZC 0141 00250 |
| 140 | 125 | 15   | 139.2 | Parker ZC 0140 00250 |
| 140 | 125 | 18   | 139.2 | Parker ZC 0142 00250 |
| 145 | 120 | 25.4 | 144.2 | Parker ZC 0147 00250 |
| 145 | 128 | 20.5 | 144.2 | Parker ZC 0148 00250 |

| $D_{H_{11}}$<br>Cylinder bore | d   | L    | $D_1$ | Parker code          |
|-------------------------------|-----|------|-------|----------------------|
| 150                           | 125 | 25   | 149.2 | Parker ZC 0150 00250 |
| 150                           | 130 | 25.5 | 149.2 | Parker ZC 0151 00250 |
| 150                           | 133 | 20   | 149.2 | Parker ZC 0152 00250 |
| 150                           | 133 | 26.5 | 149.2 | Parker ZC 0153 00250 |
| 155                           | 130 | 25.4 | 154.2 | Parker ZC 0154 00250 |
| 160                           | 130 | 26   | 159.2 | Parker ZC 0163 00250 |
| 160                           | 130 | 26   | 159.2 | Parker ZC 0160 00254 |
| 160                           | 135 | 33   | 159.2 | Parker ZC 0161 00254 |
| 160                           | 138 | 26.5 | 159.2 | Parker ZC 0160 00250 |
| 160                           | 143 | 20   | 159.2 | Parker ZC 0161 00250 |



|     |     |      |       |                      |
|-----|-----|------|-------|----------------------|
| 160 | 143 | 26.5 | 159.2 | Parker ZC 0162 00250 |
| 160 | 145 | 15   | 159.2 | Parker ZC 0164 00250 |
| 164 | 142 | 26.5 | 163.2 | Parker ZC 0167 00250 |
| 165 | 145 | 25.5 | 164.2 | Parker ZC 0165 00250 |
| 165 | 150 | 15   | 164.2 | Parker ZC 0166 00250 |
| 170 | 150 | 20   | 169.2 | Parker ZC 0172 00250 |
| 175 | 150 | 22   | 174.2 | Parker ZC 0173 00250 |
| 175 | 155 | 18   | 174.2 | Parker ZC 0174 00250 |
| 180 | 150 | 35.4 | 179.2 | Parker ZC 0179 00250 |
| 180 | 155 | 25.4 | 179.2 | Parker ZC 0180 00250 |
| 180 | 160 | 25   | 179.2 | Parker ZC 0183 00250 |
| 180 | 163 | 20   | 179.2 | Parker ZC 0181 00250 |
| 190 | 165 | 25   | 189.2 | Parker ZC 0190 00250 |
| 200 | 175 | 25.5 | 199.2 | Parker ZC 0200 00250 |
| 200 | 175 | 31   | 199.2 | Parker ZC 0202 00250 |
| 200 | 175 | 31   | 199.2 | Parker ZC 0200 00254 |
| 200 | 180 | 15   | 199.2 | Parker ZC 0204 00250 |
| 200 | 180 | 31.5 | 199.2 | Parker ZC 0207 00250 |
| 200 | 183 | 20   | 199.2 | Parker ZC 0205 00250 |
| 210 | 190 | 24.5 | 209.2 | Parker ZC 0210 00250 |
| 220 | 190 | 35   | 219.2 | Parker ZC 0220 00250 |

| $D_{H_{11}}$<br>Cylinder bore | d   | L    | $D_1$ | Parker code          |
|-------------------------------|-----|------|-------|----------------------|
| 220                           | 195 | 22   | 219.2 | Parker ZC 0221 00250 |
| 220                           | 195 | 25.4 | 219.2 | Parker ZC 0224 00250 |
| 220                           | 200 | 20   | 219.2 | Parker ZC 0222 00250 |
| 225                           | 205 | 25   | 224.2 | Parker ZC 0225 00250 |
| 230                           | 200 | 15   | 229.2 | Parker ZC 0229 00250 |
| 230                           | 200 | 30.7 | 229.2 | Parker ZC 0231 00250 |
| 230                           | 205 | 27.5 | 229.2 | Parker ZC 0230 00250 |
| 240                           | 220 | 20   | 239.2 | Parker ZC 0240 00250 |
| 240                           | 220 | 25   | 239.2 | Parker ZC 0241 00250 |
| 250                           | 225 | 31   | 249.2 | Parker ZC 0249 00250 |
| 255                           | 235 | 25.4 | 254.2 | Parker ZC 0255 00250 |
| 260                           | 235 | 25   | 259.2 | Parker ZC 0261 00250 |
| 280                           | 255 | 25.5 | 279.2 | Parker ZC 0280 00250 |
| 320                           | 290 | 30   | 319.2 | Parker ZC 0320 00250 |